



中国认可
国际互认
检测
TESTING
CNAS L4942

Merieux NutriSciences Testing Technology (Ningbo) Co., Ltd.
C7 Building, NO. 299 Guanghua RD High-Tech Park, Ningbo
315040 China
T: + 86 574 28860788
F: + 86 574 28860799
<https://www.merieuxnutrisciences.com.cn/>



Certificate of Analysis

No.2120981



Scan for Download

To : *Sichuan Moxiaoyu Food Co., Ltd.*
Address : *NO. 9, NO. 376 YONGLI STREET, CHANGQING TOWN, ZITONG COUNTY MIANYANG CITY, SICHUAN 622150 CHINA*
Date of Report (yyyy/mm/dd): 2024/04/19

Sample Information

The following samples were supplied by/on behalf of the client:

Date of Receipt(yyyy/mm/dd): 2024/04/15

Sample Description	Condition on Receipt	Sample ID
<i>Spaghettis de Konjac Bio au son d'avoine/Organic oat konjac pasta Lot Number : 24032201</i>	Sealed, Plastic Bag Packaged, By express	LR1204473-001

Results apply only to the samples as received. The information in italics are supplied by the client and the client takes responsibility for their authenticity. Results are only for internal use by the client and not for public display as proof. Without the written permission of the company, any party is prohibited from using the test results and the official CoA for undue publicity.

Edited By : Abby

Authorised Signatory :

Chris Chai Laboratory Manager

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

Pesticide List

Start Test Date : 2024/04/17 End Test Date : 2024/04/19

No.	Analytes(Units)	Methods	LOQ/LOD	Results
Sample ID : LR1204473-001				
80583 Multi-pesticide suite 535 items				
001	2,4-D butylate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
002	2,4-D-ethylhexyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
003	2,6-Dichlorobenzamide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
004	3,5-Dichloroaniline (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
005	Acephate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
006	Acetamiprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
007	Acetochlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
008	Acibenzolar-S-Methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
009	Acrinathrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
010	Alachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
011	Albendazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
012	Aldicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
013	Aldicarb-sulfone (Aldoxycarb) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
014	Aldicarb-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
015	Aldicarb (sum of Aldicarb, its sulfone and its sulfoxide expressed as Aldicarb) (mg/kg)	---	0.01 (LOQ)	<0.01
016	Aldrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
017	Ametoctradin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
018	Ametryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
019	Amicarbazone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
020	Amidosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
021	Amitraz (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
022	Anilofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
023	Atrazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
024	Azinphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
025	Azoxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
026	Benalaxyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
027	Benfluralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
028	Benfuracarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
029	Benoxacor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
030	Bensulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
031	Benzobicyclon (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
032	Benzovindiflupyr (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
033	Benzoximate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
034	Bicyclopyrone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
035	Bifenazate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
036	Bifenthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
037	Bispyribac-sodium (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
038	Bitertanol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
039	Bixafen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
040	Boscalid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
041	Bromacil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
042	Bromobutide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
043	Bromophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
044	Bromophos-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
045	Bromopropylate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
046	Bupirimate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
047	Buprofezin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
048	Butachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
049	Butafenacil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
050	Butamifos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
051	Butocarboxim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
052	Butralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
053	Cadusafos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
054	Carbaryl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
055	Carbendazim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
056	Carbofenothion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
057	Carbofuran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
058	Carbofuran-3-hydroxy (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
059	Carbofuran (sum of Carbofuran and Carbofuran -3-hydroxy expressed as Carbofuran) (mg/kg)	---	0.01 (LOQ)	<0.01
060	Carbosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
061	Carboxin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
062	Carfentrazone-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
063	Chlorantraniliprole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
064	Chlorbenside (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
065	Chlorbenzuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
066	Chlorbufam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
067	Chlordane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
068	Chlordimeform (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
069	Chlorfenapyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
070	Chlorfenson (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
071	Chlorfenvinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
072	Chlorfluazuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
073	Chlorobenzilate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
074	Chloroneb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
075	Chlorpropham (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
076	Chlorpyrifos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
077	Chlorpyrifos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
078	Chlorsulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
079	Chlorthal-dimethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
080	Chlortoluron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
081	Chlozolinate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
082	Chromafenozide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
083	Cinosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
084	Clethodim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
085	Clethodim-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
086	Clethodim-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
087	Clethodim (sum of Clethodim, its sulfone and its sulfoxide expressed as Clethodim) (mg/kg)	---	0.01 (LOQ)	<0.01
088	Clodinafop-propargyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
089	Clofentezine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
090	Clomazone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
091	Cloquintocet-mexyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
092	Cloransulam-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
093	Clothianidin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
094	Coumaphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
095	Coumoxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
096	Crotoxyphos (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
097	Cyanazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
098	Cyanophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
099	Cyantraniliprole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
100	Cyazofamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
101	Cyazofamid metabolite CCIM (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
102	Cycloate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
103	Cyclosulfamuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
104	Cycloxydim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
105	Cyenopyrafen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
106	Cyflufenamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
107	Cyflumetofen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
108	Cyfluthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
109	Cyhalothrin & lambda-Cyhalothrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
110	Cymoxanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
111	Cypermethrin & beta-Cypermethrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
112	Cyproconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
113	Cyprodinil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
114	Cyromazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
115	DDD (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
116	DDD (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
117	DDE (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
118	DDE (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
119	DDT (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
120	DDT (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
121	DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-DDD) (mg/kg)	---	0.01 (LOQ)	<0.01
122	Demeton (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
123	Demeton-S-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
124	Demeton-S-methyl sulphone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
125	Demeton-S-methyl-sulfoxide (Oxydemeton-methyl) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
126	Desmedipham (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
127	Di-Allate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
128	Diazinon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
129	Dichlobenil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
130	Dichlofenthion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
131	Dichlormid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
132	Dichlorvos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
133	Diclobutrazol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
134	Diclofop-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
135	Dicloran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
136	Diclosulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
137	Dicofol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
138	Dieldrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
139	Diethofencarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
140	Difenoconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
141	Diflubenzuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
142	Diflufenican (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
143	Dimethametryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
144	Dimethenamid & Dimethenamid-P (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
145	Dimethoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
146	Dimethomorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
147	Dimethylvinphos (E) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
148	Dimethylvinphos (Z) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
149	Dinex (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
150	Diniconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
151	Dinocap (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
152	Dinotefuran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
153	Dinoterb (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
154	Diofenolan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
155	Diphenamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
156	Disulfoton (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
157	Disulfoton-sulfone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
158	Disulfoton-sulfoxide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
159	Ditalimfos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
160	Dithiopyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
161	Diuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
162	Dufulin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
163	Edifenphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
164	Emamectin benzoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
165	alpha-Endosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
166	beta-Endosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
167	Endosulfan sulfate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
168	Endosulfan (sum of alpha- and beta-isomers and Endosulfan sulfate) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
169	Endrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
170	Enestroburin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
171	EPN (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
172	Epoxiconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
173	Esprocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
174	Ethalfuralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
175	Ethametsulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
176	Ethion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
177	Ethiprole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
178	Ethirimol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
179	Ethofumesate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
180	Ethoprophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
181	Ethoxyquin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
182	Ethoxysulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
183	Ethychlozate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
184	Etofenprox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
185	Etoazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
186	Etridiazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
187	Etrimfos (Etrimphos) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
188	Fenamidone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
189	Fenaminstrobin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
190	Fenamiphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
191	Fenamiphos-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
192	Fenamiphos-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
193	Fenamiphos (sum of Fenamiphos, its sulfone and its sulfoxide expressed as Fenamiphos) (mg/kg)	---	0.01 (LOQ)	<0.01
194	Fenarimol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
195	Fenbuconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
196	Fenchlorphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
197	Fenhexamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
198	Fenitrothion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
199	Fenobucarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
200	Fenothiocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
201	Fenoxanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
202	Fenoxaprop-ethyl & Fenoxaprop-p-ethyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
203	Fenoxycarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
204	Fenpropathrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
205	Fenpropidin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
206	Fenpropimorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
207	Fenpyrazamine (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
208	Fenpyroximate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
209	Fenthion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
210	Fenthion-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
211	Fenthion-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
212	Fenthion (sum of Fenthion, its sulfone and its sulfoxide expressed as Fenthion) (mg/kg)	---	0.01 (LOQ)	<0.01
213	Fentin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
214	Fenvalerate & Esfenvalerate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
215	Fipronil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
216	Fipronil desulfinyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
217	Fipronil sulfide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
218	Fipronil sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
219	Flamprop-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
220	Flonicamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
221	Florasulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
222	Fluacrypyrim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
223	Fluazifop-butyl & Fluazifop-p-butyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
224	Fluazinam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
225	Flubendiamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
226	Flucarbazono-sodium (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
227	Flucetosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
228	Flucythrinate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
229	Fludioxonil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
230	Fluensulfone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
231	Flufenacet (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
232	Flufenoxuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
233	Flufiprole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
234	Flumethrin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
235	Flumetralin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
236	Flumetsulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
237	Flumiclorac-pentyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
238	Flumorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
239	Fluometuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
240	Fluopicolide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
241	Fluopyram (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
242	Fluoroglycofen-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
243	Fluoxastrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
244	Flupyradifurone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
245	Fluquinconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
246	Flurochloridone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
247	Flurtamone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
248	Flusilazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
249	Fluthiacet-Methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
250	Flutolanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
251	Flutriafol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
252	Fluvalinate (tau-Fluvalinate) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
253	Fluxapyroxad (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
254	Fonofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
255	Foramsulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
256	Forchlorfenuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
257	Fosthiazate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
258	Furan tebufenozide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
259	Furathiocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
260	Halauxifen-methyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
261	Halfenprox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
262	Halosulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
263	Haloxyfop-methyl & Haloxyfop-P-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
264	alpha-HCH (alpha-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
265	beta-HCH (beta-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
266	gamma-HCH (gamma-BHC or Lindane) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
267	delta-HCH (delta-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
268	HCH (sum of alpha-HCH, beta-HCH, gamma-HCH and delta-HCH) (mg/kg)	---	0.01 (LOQ)	<0.01
269	Heptachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
270	Heptachlor epoxide A trans- (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
271	Heptachlor epoxide B cis- (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
272	Heptachlor (sum of Heptachlor and Heptachlor epoxide A trans- & B cis-) (mg/kg)	---	0.01 (LOQ)	<0.01
273	Heptenophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
274	Hexachlorophene (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
275	Hexaconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
276	Hexaflumuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
277	Hexythiazox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
278	Hydroprene (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
279	Imazalil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
280	Imazamox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
281	Imazaquin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
282	Imazethapyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
283	Imazosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
284	Imibenconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
285	Imidacloprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
286	Indanofan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
287	Indoxacarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
288	Iodosulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
289	Ipconazole (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
290	Iprobenfos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
291	Iprovalicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
292	Isazofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
293	Isocarbophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
294	Isufenphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
295	Isufenphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
296	Isofetamid (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
297	Isoprocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
298	Isoprothiolane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
299	Isoproturon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
300	Isopyrazam (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
301	Isoxadifen-Ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
302	Isoxaflutole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
303	Ivermectin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
304	Kresoxim-Methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
305	Linuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
306	Lufenuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
307	Malathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
308	Mandipropamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
309	MCPA-isooctyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
310	Mecarbam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
311	Mefenacet (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
312	Mefenpyr-Diethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
313	Mefentrifluconazole (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
314	Mepronil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
315	Meptyldinocap (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
316	Mesosulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
317	Metalaxyl & Mefenoxam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
318	Metamifop (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
319	Metamitron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
320	Metazachlor (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
321	Metazosulfuron (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
322	Metconazole (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
323	Methacrifos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
324	Methamidophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
325	Methidathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
326	Methiocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
327	Methiocarb-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
328	Methiocarb-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
329	Methiocarb (sum of Methiocarb, its sulfone and its sulfoxide expressed as Methiocarb) (mg/kg)	---	0.01 (LOQ)	<0.01
330	Methomyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
331	Methoxychlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
332	Methoxyfenozide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
333	Metolachlor & s-metolachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
334	Metominostrobin (E) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
335	Metominostrobin (Z) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
336	Metosulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
337	Metrafenone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
338	Metribuzin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
339	Metsulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
340	Mevinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
341	Mirex (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
342	Molinate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
343	Monocrotophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
344	Monosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
345	Myclobutanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
346	Naled (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
347	Napropamide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
348	Niclosamide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
349	Nicosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
350	Nitenpyram (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
351	Nitrofen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
352	Nitrothal-isopropyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
353	Norflurazon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
354	Norflurazon-desmethyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
355	Novaluron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
356	Nuarimol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
357	Omethoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
358	Orthosulfamuron (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
359	Oxadiargyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
360	Oxadiazon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
361	Oxadixyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
362	Oxamyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
363	Oxamyl-oxime (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
364	Oxamyl (sum of Oxamyl and Oxamyl-oxime expressed as Oxamyl) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
365	Oxathiapiprolin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
366	Oxychlorane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
367	Oxyfluorfen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
368	Paclobutrazol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
369	Parathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
370	Parathion-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
371	Penconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
372	Pendimethalin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
373	Penflufen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
374	Penoxsulam (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
375	Penthiopyrad (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
376	Permethrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
377	Phenamacril (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
378	Phenazino-1-carboxylic acid (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
379	Phenmedipham (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
380	Phenothrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
381	Phenthoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
382	Phorate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
383	Phorate-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
384	Phorate-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
385	Phorate (sum of Phorate, its sulfone and its sulfoxide expressed as Phorate) (mg/kg)	---	0.01 (LOQ)	<0.01
386	Phosalone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
387	Phosfolan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
388	Phosfolan-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
389	Phosmet (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
390	Phosphamidon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
391	Phoxim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
392	Picolinafen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
393	Picoxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
394	Pinoxaden (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
395	Piperonyl Butoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
396	Piperophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
397	Pirimicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
398	Pirimiphos-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
399	Pirimiphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
400	Probenazole (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
401	Prochloraz (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
402	Procymidone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
403	Profenofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
404	Promecarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
405	Prometryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
406	Propamocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
407	Propanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
408	Propaphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
409	Propaquizafop (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
410	Propargite (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
411	Propazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
412	Propetamphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
413	Propham (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
414	Propiconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
415	Propisochlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
416	Propoxur (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
417	Propyrisulfuron (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
418	Propyzamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
419	Prosulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
420	Prothioconazole-desthio (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
421	Prothiofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
422	Pydiflumetofen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
423	Pymetrozine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
424	Pyraclostrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
425	Pyraflufen-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
426	Pyrametostrobin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
427	pyraoxystrobin (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
428	Pyrazophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
429	Pyrazosulfuron-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
430	Pyrethrin I & Pyrethrin II (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
431	Pyribenzoxim (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
432	Pyributicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
433	Pyridaben (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
434	Pyridaphenthion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
435	Pyrifenox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
436	Pyrifthalid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
437	Pyrimethanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
438	Pyriminobac-methyl (E) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
439	Pyriminobac-methyl (Z) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
440	Pyrimorph (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
441	Pyriproxyfen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
442	Pyroquilon (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
443	Pyroxsulam (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
444	Quinalphos (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
445	Quintozene (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
446	Quizalofop-ethyl & Quizalofop-p-ethyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
447	Quizalofop-P-tefuryl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
448	Rimsulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
449	Rotenone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
450	Saflufenacil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
451	Salithion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
452	Sedaxane (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
453	Sethoxydim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
454	Silafluofen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
455	Silthiofam (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
456	Simazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
457	Simeconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
458	Simetryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
459-1	Spinetoram J (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
459-2	Spinetoram L (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
459	Spinetoram (sum of Spinetoram J and Spinetoram L) (mg/kg)	---	0.01 (LOQ)	<0.01
460-1	Spinosad A (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
460-2	Spinosad D (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
460	Spinosad (sum of Spinosad A and Spinosad D) (mg/kg)	---	0.01 (LOQ)	<0.01
461	Spiromesifen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
462	Spirotetramat (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
463	Spirotetramat-enol (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
464	Spirotetramat-enol-glucoside (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
465	Spirotetramat-keto-hydroxy (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
466	Spirotetramat-mono-hydroxy (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
467	Spiroxamine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
468	Sulcotrione (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
469	Sulfentrazone (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
470	Sulfotep (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
471	Sulfoxaflor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
472	Tebuconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
473	Tebufenozide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
474	Tebufenpyrad (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
475	Tebupirimfos (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
476	Tebuthiuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
477	Tecnazene (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
478	Teflubenzuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
479	Tefluthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
480	Tefuryltrione (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
481	Tembotrione (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
482	Terbacil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
483	Terbufos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
484	Terbufos-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
485	Terbufos-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
486	Terbufos (sum of Terbufos, its sulfone and its sulfoxide expressed as Terbufos) (mg/kg)	---	0.01 (LOQ)	<0.01
487	Terbutylazine (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
488	Terbutryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
489	Tetrachlorantraniliprole (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
490	Tetrachlorvinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
491	Tetraconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
492	Tetradifon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
493	Tetramethrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
494	Thiabendazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
495	Thiabendazole-5-hydroxy (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
496	Thiacloprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
497	Thiamethoxam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
498	Thiazopyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
499	Thidiazuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
500	Thifluzamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
501	Thiobencarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
502	Thiodicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
503	Thiophanate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
504	Thiophanate-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
505	Tolclofos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
506	Tolfenpyrad (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
507	Tralkoxydim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
508	Triadimefon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
509	Triadimenol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
510	Triadimefon (sum of Triadimefon and Triadimenol) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
511	Tri-allate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
512	Triasulfuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
513	Triazophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
514	Triazoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
515	Tribenuron-methyl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
516	Tribuphos (DEF) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
517	Trichlorfon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
518	Trichloronate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
519	Triclopyricarb (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
520	Tricyclazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
521	Tridemorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
522	Trifloxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
523	Triflumezopyrim (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
524	Triflumizole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
525	Triflumizole-amino (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
526	Triflumuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
527	Trifluralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
528	Triflurosulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
529	Triforine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
530	Trinexapac-Ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
531	Triticonazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
532	Uniconazole & Uniconazole-p (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
533	Vamidotion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
534	Vinclozolin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
535	ε-Hexachlorocyclohexane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

80583 Pesticide list 14 items in Cereals for Supplement

001	#Q Chlormequat (mg/kg)	EURL QuPPE PO Method 3 V1 2.1	0.01 (LOQ)	<0.01
002	#Q Difenzoquat (mg/kg)	EURL QuPPE PO Method 3 V1 2.1	0.01 (LOQ)	<0.01
003	#Q Mepiquat Chloride (mg/kg)	EURL QuPPE PO Method 3 V1 2.1	0.01 (LOQ)	<0.01
004	#Q Glyphosate (mg/kg)	SN/T 1923-2007	0.01 (LOQ)	<0.01
005	#Q Aminomethyl Phosphonic Acid (AMPA) (mg/kg)	SN/T 1923-2007	0.01 (LOQ)	<0.01
006	#Q Glufosinate-ammonium (mg/kg)	GB 23200.108-2018	0.01 (LOQ)	<0.01

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
007 #Q	Folpet (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
008 #O	Phthalimide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
009 #Q	Folpet (sum of Folpet and Phtalimide, expressed as folpet) (mg/kg)	---	0.01 (LOQ)	<0.01
010 #Q	2,4-D (mg/kg)	EURL-SRM-02 V1	0.01 (LOQ)	<0.01
011 #Q	Haloxypop & Haloxypop-R (mg/kg)	EURL-SRM-02 V1	0.01 (LOQ)	<0.01
012 #	TFNA (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
013 #	TFNG (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
014 #	TFNA-AM (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01

☆2 - outside of CNAS accreditation.

- Subcontracted

#Q - Subcontracted to Merieux NutriSciences Testing Technology (Qingdao) Co., Ltd., its Laboratory Accreditation No. is CNAS L1512.

-----End of CoA-----